BİROL ISITMA ve SOĞUTMA SİSTEMLERİ

Heating & Cooling Systems



BRISCOOL

www.briscool.com

BRISCOOL



ABOUT US

Our company, aims to provide the best service to our esteemed customers in HVAC Industry for more than 30 years,since 1986. All throughout Turkey, with 20 unique selling points more than 3,000 customers, we supply products, at our own production facilities or in cooperation with important manufacturers in the world We provide our products with al necessary certificates in the best possible way BRISCOOL

HAKKIMIZDA

1986 Yılından Bugüne, Isıtma, Soğutma, Klima ve Havalandırma sektöründe 30 yılı aşkın süredir
Ülkemiz de ve Dünya da ki siz saygın müşterilerimize en iyi hizmeti vermek için sürekli iyileşmeyi edinen firmamız sektöre odaklanarak büyümekte ve gelişmektedir.

Türkiye genelinde 7 bölgede, 15 şehirde, 20 farklı satış noktamız ile 3000'den fazla siz değerli müşterilerimize sektörün ihtiyaç duyduğu ürünlerini; kendi üretim tesislerimizde üreterek ve Dünya'nın önemli üreticileriyle işbirliği yaparak sizlere sunmaktayız.

Ürün portföyümüz içinde olan ISITMA, SOĞUTMA, KLİMA ve HAVALANDIRMA ürün gruplarıyla yaklaşık 7000 çeşit
ürün ve hizmetlerimizi ISO 9001: 2015 Kalite Yönetim Sistemi - ISO 10002: 2014 Müşteri Memnuniyeti Yönetim Sistemi -TS 18001: 2014 İş Sağlığı ve Güvenliği Yönetim Sistemleri Ve CE Belgeleri ne sahip işletmelerimiz ve yaklaşık 200 çalışanımızla sizlere ulaştırmaktayız.

İZOLASYONLU BAKIR BORU | P.E INSULATED COPPER TUBES

	BORU ÇAPI / COPPER DIAMETER	BORU ET KALINLIĞI / COPPER THICKNESS	İZOLASYON CİNSİ / INSULATION TYPE	İZOLASYON ÇAPI / INSULATION DIAMETER	UZUNLUK / LENGTH
BEYAZ/POLYETHYLENE	1/4 (6,35mm)	0.70 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	3/8 (9,52mm)	0.70 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	1/2 (12,7mm)	0.70 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	5/8 (15,88mm)	0.70 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	3/4 (19,05mm)	0.70 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	1/4 (6,35mm)	0.80 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	3/8 (9,52mm)	0.80 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	1/2 (12,7mm)	0.80 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	5/8 (15,88mm)	1.00 mm	Beyaz / Polyethylene	9 /13 mm	50 m
	3/4 (19,05mm)	1.00 mm	Beyaz / Polyethylene	9 /13 mm	50 m

İZOLASYONLU BAKIR BORU | P.E INSULATED COPPER TUBES

	BORU ÇAPI / COPPER DIAMETER	BORU ET KALINLIĞI / COPPER THICKNESS	İZOLASYON CİNSİ / INSULATION TYPE	İZOLASYON ÇAPI / INSULATION DIAMETER	UZUNLUK / LENGTH
BEYAZ/POLYETHYLENE	1/4-3/8 (6,35-9,52 mm)	(0.70x0.70 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	1/4-1/2 (6,35-12,7 mm)	(0.70x0.70 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	1/4-5/8 (6,35-15,88 mm)	(0.70x0.70 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	3/8-5/8 (9,52-15,88mm)	(0.70x0.70 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	3/8-3/4 (9,52-19,05 mm)	(0.70x0.70 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	1/2-3/4 (12,7-19,05 mm)	(0.70x0.70 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	1/4-3/8 (6,35-9,52 mm)	(0.80x0.80 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	1/4-1/2 (6,35-12,7 mm)	(0.80x0.80 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	1/4-5/8 (6,35-15,88mm)	(0.80x1.00 mm)	Beyaz / Polyethylene	9 /13 mm	50 m
	3/8-5/8 (9,52-15,88mm)	(0.80x1.00 mm)	Beyaz / Polyethyletne	9 /13 mm	50 m
	3/8-3/4 (9,52-19,05mm)	(0.80x1.00 mm)	Beyaz / Polyethyletne	9 /13 mm	50 m
	1/2-3/4 (12,7-19,05mm)	(0.80x1.00 mm)	Beyaz / Polyethyletne	9 /13 mm	50 m

KAUÇUK İZOLASYONLU BAKIR BORU | RUBBER INSULATED COPPER TUBES

	BORU ÇAPI / COPPER DIAMETER	BORU ET KALINLIĞI / COPPER THICKNESS	İZOLASYON CİNSİ / INSULATION TYPE	İZOLASYON ÇAPI / INSULATION DIAMETER	UZUNLUK / LENGTH
KAUÇUK/RUBBER	1/4 (6,35mm)	0.70 mm	Kauçuk / Rubber	9 /13 mm	50 m
	3/8 (9,52 mm)	0.70 mm	Kauçuk / Rubber	9 /13 mm	50 m
	1/2 (12,7 mm)	0.70 mm	Kauçuk / Rubber	9 /13 mm	50 m
	5/8 (15,88 mm)	0.70 mm	Kauçuk / Rubber	9 /13 mm	50 m
	3/4 (19,05 mm)	0.70 mm	Kauçuk / Rubber	9 /13 mm	50 m
	1/4 (6,35 mm)	0.80 mm	Kauçuk / Rubber	9 /13 mm	50 m
	3/8 (9,52 mm)	0.80 mm	Kauçuk / Rubber	9 /13 mm	50 m
	1/2 (12,7 mm)	0.80 mm	Kauçuk / Rubber	9 /13 mm	50 m
	5/8 (15,88 mm)	1.00 mm	Kauçuk / Rubber	9 /13 mm	50 m
	3/4 (19,05 mm)	1.00 mm	Kauçuk / Rubber	9 /13 mm	50 m

POLYETHYLENE SIYAH İZOLASYONLU BAKIR BORU I P.E BLACK INSULATED COPPER TUBES

SIYAH / POLYETHYLENE

BORU ÇAPI / COPPER DIAMETER	BORU ET KALINLIĞI / COPPER THICKNESS	İZOLASYON CİNSİ / INSULATION TYPE	İZOLASYON ÇAPI / INSULATION DIAMETER	UZUNLUK / LENGTH
1/4 (6,35mm)	0.70 mm	Siyah / Polyethylene	9 /13 mm	50 m
3/8 (9,52mm)	0.70 mm	Siyah / Polyethylene	9 /13 mm	50 m
1/2 (12,7mm)	0.70 mm	Siyah / Polyethylene	9 /13 mm	50 m
5/8 (15,88mm)	0.70 mm	Siyah / Polyethylene	9 /13 mm	50 m
3/4 (19,05mm)	0.70 mm	Siyah / Polyethylene	9 /13 mm	50 m
1/4 (6,35mm)	0.80 mm	Siyah / Polyethylene	9 /13 mm	50 m
3/8 (9,52mm)	0.80 mm	Siyah / Polyethylene	9 /13 mm	50 m
1/2 (12,7mm)	0.80 mm	Siyah / Polyethylene	9 /13 mm	50 m
5/8 (15,88mm)	1.00 mm	Siyah / Polyethylene	9 /13 mm	50 m
3/4 (19,05mm)	1.00 mm	Siyah / Polyethylene	9 /13 mm	50 m

SIYAH / POLYETHYLENE

BORU ÇAPI / COPPER DIAMETER	BORU ET KALINLIĞI / COPPER THICKNESS	İZOLASYON CİNSİ / INSULATION TYPE	İZOLASYON ÇAPI / INSULATION DIAMETER	UZUNLUK / LENGTH
1/4-3/8 (6,35-9,52 mm)	(0.70x0.70 mm)	Siyah / Polyethylene	9 /13 mm	50 m
1/4-1/2 (6,35-12,7 mm)	(0.70x0.70 mm)	Siyah / Polyethylene	9 /13 mm	50 m
1/4-5/8 (6,35-15,88 mm)	(0.70x0.70 mm)	Siyah / Polyethylene	9 /13 mm	50 m
3/8-5/8 (9,52-15,88mm)	(0.70x0.70 mm)	Siyah / Polyethylene	9 /13 mm	50 m
3/8-3/4 (9,52-19,05 mm)	(0.70x0.70 mm)	Siyah / Polyethylene	9 /13 mm	50 m
1/2-3/4 (12,7-19,05 mm)	(0.70x0.70 mm)	Siyah / Polyethylene	9 /13 mm	50 m
1/4-3/8 (6,35-9,52 mm)	(0.80x0.80 mm)	Siyah / Polyethylene	9 /13 mm	50 m
1/4-1/2 (6,35-12,7 mm)	(0.80x0.80 mm)	Siyah / Polyethylene	9 /13 mm	50 m
1/4-5/8 (6,35-15,88mm)	(0.80x1.00 mm)	Siyah / Polyethylene	9 /13 mm	50 m
3/8-5/8 (9,52-15,88mm)	(0.80x1.00 mm)	Siyah / Polyethylene	9 /13 mm	50 m
3/8-3/4 (9,52-19,05mm)	(0.80x1.00 mm)	Siyah / Polyethylene	9 /13 mm	50 m
1/2-3/4 (12,7-19,05mm)	(0.80x1.00 mm)	Siyah / Polyethylene	9 /13 mm	50 m

BORU ÇAPI / COPPER DIAMETER	BORU ET KALINLIĞI / COPPER THICKNESS	UZUNLUK / LENGTH
1/4 (6,35 mm)	0,68 mm	50 m
5/16 (7,49 mm)	0,68 mm	50 m
3/8 (9,52 mm)	0,68 mm	50 m
1/2 (12,7 mm)	0,68 mm	50 m
5/8 (15,88 mm)	0,70 mm	50 m
3/4 (19,05 mm)	0,70 mm	50 m

BORU ÇAPI / COPPER DIAMETER	BORU ET KALINLIĞI / COPPER THICKNESS	UZUNLUK / LENGTH
1/4 (6,35 mm)	0,80 mm	50 m
3/8 (9,52 mm)	0,80 mm	50 m
1/2 (12,7 mm)	0,80 mm	50 m
5/8 (15,88 mm)	1,00 mm	50 m
3/4 (19,05 mm)	1,00 mm	50 m



BORU ÇAPI / COPPER DIAMETER	BORU ET KALINLIĞI / COPPER THICKNESS	UZUNLUK / LENGTH
16 mm	1 mm	5 m
18 mm	1 mm	5 m
22 mm	0.80 mm / 1 mm / 1.2 mm	5 m
25 mm	1 mm	5 m
28 mm	1 mm / 1.2 mm	5 m
35 mm	1 mm / 1.2 mm / 1.5 mm	5 m
42 mm	1 mm / 1.5 mm	5 m
54 mm	1.5 mm	5 m

KLİMA AYAK ÇEŞİTLERİ | A/C BRACKET

ÖLÇÜ (mm) / SIZE	CİNSİ / TYPE	KALINLIĞI / THICKNESS
400 x 400	KAYNAKLI / WELDED	2.0 mm
400 x 400	VİDALI / SCREW	2.0 mm
500 x 500	KAYNAKLI / WELDED	2.0 mm
500 x 500	VİDALI / SCREW	2.0 mm
600 x 600	KAYNAKLI / WELDED	2.0 mm

JOINT ÇEŞİTLERİ | BRANCH PIPES

MODEL	A	B	C
DS-22-1	12 mm/16 mm/19 mm	19 mm/12 mm/9 mm	19 mm/12 mm/9 mm
DS-108-1	16 mm/19 mm/22 mm	19 mm/16 mm/12 mm/9 mm	19 mm/16 mm/12 mm/9 mm
DS-371-1	25 mm/22 mm/32 mm	25 mm/22 mm/19 mm	25 mm/22 mm/19 mm
DS-540-1	28 mm/32 mm/38 mm	32 mm/28 mm/25 mm/19 mm	32 mm/28 mm/25 mm/19 mm

KLİMA MONTAJ KIT ÇEŞITLERİ | INSULATED COPPER TUBE MONTAGE KIT



BORU ÇAPI / COPPER DIAMETER	UZUNLUK / LENGTH
1/4 - 3/8	3m - 5m - 7m - 10m - 15m
1/4 - 1/2	3m - 5m - 7m - 10m - 15m
1/4 - 5/8	3m - 5m - 7m - 10m - 15m
3/8 - 5/8	3m - 5m - 7m - 10m - 15m
3/8 - 3/4	3m - 5m - 7m - 10m - 15m
1/2 - 3/4	3m - 5m - 7m - 10m - 15m

KLİMA DRENAJ HORTUMU | A/C DRAIN HOSE



ÖLÇÜ / SIZE	UZUNLUK / LENGTH
15,87 mm (5/8")	50 m (3.850 KG)

BRISCOOL

R134 A

R404 A

R410 A

R417 A

R407 A

R32

MODEL	AĞIRLIK(kg) NET WEİGHT(kg)
Briscool R - 134 A	3.4 kg / 13.6 kg
Briscool R - 404 A	9.8 kg / 10.9 kg
Briscool R - 407 C	11.3 kg
Briscool R - 410 A	9.8 kg / 11.3 kg
Briscool R - 417 A	5.6 kg / 11.3 kg
Briscool R - 32	3.2 kg

BRISCOOL

KAPASİTE EVAPARASYON -10°C / CAPACITY EVAP. -10°C									
BRISCOOL MODEL	KOMPRESÖR / COMPRESSOR (BRISCOOL)	GÜÇ / H.POWER (HP)	KONDANSER / CONDENSER	FAN MOTORU / FAN MOTOR (BRISCOOL)	GAZ DEPOSU / LIQUID RECIVER (BRISCOOL)	DRAYER KAYNAKLI / SOLDER DRYER (BRISCOOL)	GÖZETLEME CAMI / GAS SIGHTGLASS (DANFOSS)	EMME HATTI / SUCTION LINE	BASMA HATTI / LIQUID LINE
BRSC015	TK 4519 SD	1.5	15 M2	1*400 mm	1.5 lt	3/8	3/8	3/8	5/8
BRSC020	TK 4522 SD	2	20 M2	1*400 mm	2 lt	3/8	3/8	3/8	5/8
BRSC030	TK 4531 SD	3	30 M2	1*450 mm	3 lt	3/8	3/8	3/8	5/8
BRSC040	TK 4546 SD	4	40 M2	2*400 mm	4 lt	1/2	1/2	1/2	3/2
BRSC050	TK 4561 SD	5	50 M2	2*450 mm	5 lt	1/2	1/2	1/2	3/2
BRSC060	TK 4568 SD	6	60 M2	2*450 mm	6 lt	1/2	1/2	1/2	22
BRSC070	TK 4573 SD	7	70 M2	2*450 mm	7 lt	1/2	1/2	1/2	22

SELENOİD VALF : OPSİYONEL
SELENOİD VALVE : OPTIONALLY
FAN KONTROL : OPSİYONEL
FAN CONTROL : OPTONALLY

KAPİLER HORTUM (GOMAXX): REKORLU
CAPPILARY HOSE (GOMAXX):FLARE
AKUSTİK İZOLE PİRAMİT YANMAZ
ACUSTIC ISOLE PYRAMID FIREPROOF

KOMBİNE TERMOSTAT (DANFOSS) : OTOMATİK RESET
COMBİNED PRESSURE CONTROL (DANFOSS): OTO. RESET

KAPASİTE EVAPARASYON -25°C / CAPACITY EVAP. -25°C												
BRISCOOL MODEL	KOMPRESÖR / COMPRESSOR (BRISCOOL)	GÜÇ / H.POWER (HP)	KONDANSER / CONDENSER	FAN MOTORU / FAN MOTOR (BRISCOOL)	GAZ DEPOSU / LIQUID RECIVER (BRISCOOL)	DRAYER KAYNAKLI / SOLDER DRYER (BIRISCOOL)	GÖZETLEME CAMI / GAS SIGHTGLASS (DANFOSS)	LİKİT TUTUCU / LIQUID RECEIVER (BIRISCOOL)	TİTREŞİM ALICI / VIBRATION ABSORBER (BIRISCOOL)	EMME HATTI / SUNTION LINE	BASMA HATTI / LIQUID LINE	YAĞ AYIRICI / OIL SEPERATOR (BRISCOOL)
BRS20	TK 2480 SL	2	18 M2	1*400 mm	2 lt	3/8	3/8	5/8	5/8	3/8	5/8	1/2
BRS30	TK 2511 SL	3	28 M2	1*400 mm	3 lt	3/8	3/8	5/8	5/8	3/8	5/8	1/2
BRS50	TK 2516 SL	5	44 M2	2*450 mm	4 lt	1/2	1/2	3/4	3/4	3/8	3/4	1/2
BRS70	TK 2522 SL	7	52 M2	2*400 mm	5 lt	1/2	1/2	22	22	1/2	22	1/2

OTOMATİK ŞALTER ÇEŞITLERI | AUTOMATIC SWITCH TYPES

MODEL NO.	AMPER
DZ47 - 63S C6	6 A
DZ47 - 63S C10	10 A
DZ47 - 63S C16	16 A
DZ47 - 63S C20	20 A
DZ47 - 63S C25	25 A
DZ47 - 63S C32	32 A
DZ47 - 63S C40	40 A

NYA KABLO ÇEŞITLERI | H07V-U CABLE TYPES

H07V-U ÜRÜN ÖZELLİKLERİ / H07V-U PRODUCT FEATURES

	BOYUT VE AĞIRLIKLAR / DIMENSIONS AND WEIGHTS			ELEKTRİKSEL ÖZELLİKLER / ELECTRICAL PROPERTIES		
Type / Tip	Nominal Kesit / Nominal Cros section	Dış Çap (En çok) / Overall Diameter (max.)	Net Ağırlık (En çok) / Net Weight (Max.)	İletken DC. Direnci 20 °C' de max. / DC Conductor Resistance at 20 °C	Akım Taşıma Kapasitesi / Current Carrying Capacity	
					Havada 30 °C' de / In Air at 30 °C	Toprakta 20°C ta / In Ground at 20°C
	mm²	mm	kg/km	ohm/km	A	
H07V-U	1 x 1.5	2.75	19.7	12.1	16	15
	1 x 2.5	3.35	31.2	7.41	25	20
	1 x 4.0	3.8	45.6	4.61	32	25
	1 x 6.0	4.3	64	3.08	54	33
	1 x 10	5.6	108	1.83	73	45

TTR KABLO ÇEŞITLERI | H05VV-F CABLE TYPES

H05VV-F ÜRÜN ÖZELLİKLERİ / H05VV-F PRODUCT FEATURES

BOYUT VE AĞIRLIKLAR / DIMENSIONS AND WEIGHTS				ELEKTRİKSEL ÖZELLİKLER / ELECTRICAL PROPERTIES	
Type / Tip	Nominal Kesit/ Nominal Crossection	Dış Çap (En çok)/ Overall Diameter (max.)	Net Ağırlık (En çok)/ Net Weight (Max.)	İletken DC. Direnci 20 °C' de max. / DC Conductor Resistance at 20 °C	Akım Taşıma Kapasitesi / Current Carrying Capacity Havada 30 °C' de / In Air at 30 °C
	mm²	mm	kg/km	ohm/km	A
H05VV-F	2 x 0.75	6,16	55.9	26	6
	2 x 1	6,5	64.2	19.5	10
	2 x 1.5	7,42	85.9	13.3	16
	2 x 2.5	9,08	132.1	7.98	25
	2 x 4	10,34	181.9	4.95	32
	3 x 0.75	6,52	66.7	26	6
	3 x 1	6,89	77.3	19.5	10
	3 x 1.5	8,09	108.3	13.3	16
	3 x 2.5	9,85	166.2	7.98	25
	3 x 4	11,19	230.9	4.95	32
	4 x 0.75	7,12	81.7	26	6
	4 x 1	7,73	98.8	19.5	10
	4 x 1.5	9,04	138	13.3	16
	4 x 2.5	10,77	205.7	7.98	25
	4 x 4	12,25	287.6	4.95	32
	5 x 0.75	7,98	102.5	26	6
	5 x 1	8,44	119.4	19.5	10
	5 x 1.5	10,09	171.9	13.3	16
	5 x 2.5	11,99	255.9	7.98	25
	5 x 4	13,83	363.9	4.95	32

BLENDAJLI KABLO ÇEŞITLERI | LIYCY CABLE TYPES

LIYCY ÜRÜN ÖZELLİKLERİ / LIYCY PRODUCT FEATURES

BOYUT VE AĞIRLIKLAR / DIMENSIONS AND WEIGHTS				ELEKTRİKSEL ÖZELLİKLER / ELECTRICAL PROPERTIES	
Type / Tip	Nominal Kesit/ Nominal Crossection	Dış Çap (En çok)/ Overall Diameter (max.)	Net Ağırlık (En çok)/ Net Weight (Max.)	İletken DC. Direnci 20 °C' de max. / DC Conductor Resistance at 20 °C	Gerilim Direnci / Voltage Resistance
	mm²	mm	kg/km	ohm/km	Va.a (1 min)
LIYCY	2 x 0.5	5.4	30.68	38.9	1200
	2 x 0.75	6	38.04	26	1200
	2 x 1	6.2	44.41	19.5	1200
	2 x 1.5	7.3	59.66	13.3	2500
	3 x 0.50	5.7	39.06	38.9	1200
	3 x 0.75	6.15	49.12	26	1200
	3 x 1	6.56	57.44	19.5	1200
	3 x 1.5	7.74	78.53	13.3	2500

BAKİR DİRSEK-MAŞON-T-DEVEBOYNU | COPPER ELBOW-COUPLING-TEE-P TRAP

DİRSEK / ELBOW	MAŞON / COUPLING	T / TEE	LUP DEVE BOYNU / P-TRAP
1/4 (06 mm)	1/4 (06 mm)	1/4 (06 mm)	5/8 (16 mm)
5/16 (08 mm)	3/8 (10 mm)	3/8 (10 mm)	3/4 (18-19 mm)
3/8 (10 mm)	1/2 (12 mm)	1/2 (12 mm)	7/8 (22 mm)
1/2 (12 mm)	5/8 (16 mm)	5/8 (16 mm)	1-1/8 (28 mm)
5/8 (16 mm)	3/4 (18-19 mm)	3/4 (18-19 mm)	1-3/8 (35 mm)
3/4 (18-19 mm)	7/8 (22 mm)	7/8 (22 mm)	1-5/8 (42 mm)
7/8 (22 mm)	1-1/8 (28 mm)	1-1/8 (28 mm)	
1-1/8 (28 mm)	1-3/8 (35 mm)	1-3/8 (35 mm)	
1-3/8 (35 mm)	1-5/8 (42 mm)	1-5/8 (42 mm)	
1-5/8 (42 mm)	2-1/8 (54 mm)	2-1/8 (54 mm)	
2-1/8 (54 mm)			
7/8 (22 mm) 45°			
1-1/8 (28 mm) 45°			
1-3/8 (35 mm) 45°			

REKOR ÜNYON ÇEŞİTLERİ | UNION / NUT

ÜNYON / UNION	REKOR / NUT
1/4 (06 mm)	1/4 (06 mm)
5/16 (08 mm)	5/16 (08 mm)
3/8 (10 mm)	3/8 (10 mm)
1/2 (12 mm)	1/2 (12 mm)
5/8 (16 mm)	5/8 (16 mm)
3/4 (18-19 mm)	3/4 (18-19 mm)
1/4 - 3/8	
1/2 - 3/8	
1/2 - 5/8	

BRISCOOL

www.briscool.com

GENEL Merkez / General office
Toros mh. Ahmet Sapmaz Bulvarı Bora Plaza Altı
No:41/2-A Çukurova/ADANA
Tel: 0.322.224 39 56 - 0.322.224 39 66 (Pbx)
GSM: 0.549.669 80 00
E-Posta : info@briscool.com.tr

FABRİKA / FACTORY :
Acıdere OSB Mah. Cumhuriyet Blv. NO:6A
Sarıçam/ADANA

Tel: 0-322-502-22-35

İstanbul Şubemiz / branch
Halide Edip Adıvar Mah. Akar Cad. Kutlubey Sk.
No:99/1 Şişli/İSTANBUL
Tel: 0-212-235-44-48
GSM: 0-549-389-02-00
E-Posta: istanbul@birolticaret.com.tr

Antakya Şubemiz / branch
Turunçlu Cad. Çiçek Apt. No:16/1 Defne/HATAY
Tel-Faks: 0-326-232-56-41
GSM: 0-555-961-27-86
E-Posta : antakya@birolticaret.com

Antalya Şubemiz / branch
Konuksever Mah. Karacaoğlan Cad. Konuksever Apt.
No:49/A-B Muratpaşa/ANTALYA
Tel: 0-242-346-21-08
GSM: 0-549-547-01-07
E-Posta: antalya@birolticaret.com

Gaziantep Şubemiz / branch
Mücahitler mh.52009 nolu cad.Nazlı Apt.No:20/D
Şehitkamil/GAZİANTEP
Tel: 0-342-321-26-13 Faks: 0-342-321-26-14
GSM: 0-554-499-47-99
E-Posta : gaziantep@birolticaret.com

İskenderun Şubemiz / branch
O.Gazi cd.Vekiloğlu Apt.Altı No:105/12 İskende-
run/HATAY
Tel: 0-326-613-99-89 Faks: 0-326-617-78-48
GSM: 0-555-962-86-15
E-Posta : iskenderun@birolticaret.com

Çorum Şubemiz / branch
Çöplü mah.Çöplü cad no:7 Merkez/ÇORUM
Tel-Faks: 0-364-225-56-45
GSM: 0-535-581-31-74
E-Posta : corum@birolticaret.com

Mersin Pozcu Şubemiz / branch
Aydınlıkevler Mh. 2044 sk. Zenka apt. altı No:4/9
Yenişehir/MERSİN
Tel-Faks: 0-324-933-23-43
GSM: 0-541-335-50-33
E-Posta : pozcu@birolticaret.com

İzmir Şubemiz / branch
Halkapınar Mh. 1082 Sk. Pamuk Plaza D Blok No:
9/D-N-M Yenişehir/İZMİR
Tel: 0-232-458-33-85 Faks: 0-232-458-33-86
GSM: 0-543-449-42-90
E-Posta : izmir@birolticaret.com

Mersin Çarşı Şubemiz / branch
Mesudiye Mah.Cemalpaşa cd.No:110/A Akdeniz/
MERSİN
Tel: 0-324-337-04-85 Faks: 0-324-337-04-17
GSM: 0-555-962-86-19
E-Posta : mersin@birolticaret.com

Mersin Yenişehir Şubemiz / branch
Hürriyet Mah. İsmet İnönü Blv. Özyeşilkent Sitesi
ABlok No:125/B Yenişehir/MERSİN
Tel: 0-324-329-22-27
GSM: 0-541-783-55-08
E-mail: yenisehir@birolticaret.com

Tarsus Şubemiz / branch
M.Uygur cd.Özyurt Apt.Altı No:35/B Tarsus/MER-
SİN
Tel: 0-324-624-67-11 Faks: 0-324-622-27-29
GSM: 0-554-499-47-95
E-Posta : tarsus@birolticaret.com

Adana Sümer Şubemiz / branch
Sümer Mah. Karafatma Cad. Özge Apt. AH.B Blok
No, 141/B Seyhan/ADANA
Tel: 0-322-227-03-03
GSM: 0-542-209-00-36
E-Posta : adanasube2@birolticaret.com

SERTİFİKA / CERTIFICATE

BRISCOOL

Toros Mh. Ahmet Sapmaz Bulvarı
Bora Plaza Altı No:41/2-A
Çukurova / ADANA / TURKEY
T:+90 322 224 39 56 - 322 224 39 66
ınfo@briscool.com.tr
G:+90 549 669 80 00

www.briscool.com